


Marian Audi A3 / S3 / RS3

Sedan, as of 2020







Marian Audi A3 / S3 / RS3

Sedan, as of 2020

3. Disable direct hazards / safety regulations

Turn off the ignition



12-volt electrical system deactivation



Locate the 12-volt battery Disconnect the negative terminal (-)






48-volt electrical system deactivation




LI ION

Move the front passenger seat back and remove the battery cover




Disconnect the connector on the front of the battery



In the event of an accident in which the airbags are deployed, the 48-volt electrical system will be automatically deactivated.

4. Access to the occupants



Glass types:

- (1) Composite safety glass
- Single-layer safety glass

5. Stored energy / liquids / gases / solids



max. 55 l

















12 V











48 V Optional

LI ION

Document number rds_au_381_001_en Version

Page 2 of 3



Audi A3 / S3 / RS3

Sedan, as of 2020

6. In case of fire













Lithium ion batteries can self-ignite spontaneously or after a delay in the event of damage or incorrect use, and can re-ignite after a fire has been suppressed. Wear suitable safety equipment.



10. Explanation of pictograms used









human health



hazard













Use lots of water to extinguish the fire.





Diesel vehicle

Attention, danger

Use thermal Infrared camera

Lithium-ion battery

Release the bonnet

Release the