





Audi Q5 hybrid quattro

2011 - 2016



Legend







Audi Q5 hybrid quattro

2011 - 2016

Identifying feature

The Audi Q5 hybrid quattro can be identified by means of the "hybrid" logo.



Instrument cluster Door sill trim strip

Hints



In the case of accidents in which the airbags are deployed, the high-voltage system is deactivated.

In the case of accidents with deployed/undeployed airbags

- ▶ Place Vehicle in Park and set parking brake
- ► Switch off the ignition
- ▶ Disconnect the negative terminals of the 12 V battery if needed

Indempentedly therefrom the high-voltage system can be deactivated by the Service-Disconnect. For this open the cover in the middle of the cargo floor in the trunk:







Switch off the ignition



With the ignition switched on and the key in the ignition: Switch off the ignition by pressing the key into the ignition lock without depressing brake pedal. Pull out the key.



With the ignition switched on and the key not in the ignition (possible with the convenience key):

Press START ENGINE STOP button **without** depressing brake pedal. If possible, take the convenience key outside the transmission range of the vehicle (5 meter).



Risk of Injury: By pressing the key/the START ENINGE STOP button with depressing brake pedal, the engine starts!





Audi Q5 hybrid quattro

2011 - 2016


Disconnect the negative terminals of the 12V batteries

Option A:

Release the luggage compartment floor by means of the screws indicated by the arrows (screw-driver in the car tool kit) Disconnect the ground cables from both 12V batteries (picture on right)

Option B:

Lever up the luggage compartment floor by inserting a crowbar at the points indicated. Lift up the luggage compartment floor. Disconnect the ground cables from both 12V batteries (picture on right)





Identification of the high-voltage components

Identification of the high-voltage battery



Identification of the The high-voltage battery is located under the luggage compartment floor.

It is a Lithium-ion battery.

Identification of the remaining high-voltage components





All the high-voltage leads and the high-voltage connections are provided with orange insulation. These items must not be disconnected or damaged.

